

# NX-504P

## 5 port Fast Ethernet Switch with 4 PoE ports

The NX504P 10/100 Mbps PoE switch is an ideal Plug and Play solution for powering PoE devices such as IP Phones, IP Cameras, WLAN access points and other devices which comply with 802.3af power requirements.

NX504P comes in a unique 5 port design with 4 PoE + 1 uplink port, this allows utilisation of all PoE ports to power devices without wasting any PoE ports for uplink.



## Features

- IEEE802.3af standard compliant
- Power up to 15.4 W for each PoE port
- Auto detects powered devices (PD)
- Plug and Play, No configuration required
- Fan less metal casing.

| Specifications        |   |
|-----------------------|---|
| Ports                 | 4 x 10/100Base-TX PoE ports, 1x100Base-TX Uplink port.        |
| LED Indicators        | PWR, PoE, Link/Act LED.                                       |
| Power                 | Adapter 100V~240V AC, with 52V 1.25A DC output for PoE switch |
| Power consumption     | 65W (62W for PoE)   |
| Operating temperature | -10°C~45°C, operating humidity: 10%~90%.                      |
| Storage temperature   | -20°C~70°C, storage humidity : 5%~95%                         |
| Cable requirements    | UTP Cat 5 or above  |
| Switching capacity    | 1.6 Gbps high bandwidth switching backplane.                  |
| MAC address table     | 2K.   |
| Traffic control       | IEEE 802.3x full-duplex flow control.                         |
| Size                  | 117*85*28 cm metal casing                                     |
| PoE Standard          | IEEE802.3af per port 15.4W (MAX) Total power budget 65W.      |